



# REFLOW CLEANER 88

**Water-based cleaning fluid designed for soldering devices manual cleaning with high contamination.**

Ready-mix, intended for direct use.  
Designed for cleaning most flux types.  
Developed for areas with high contamination levels.



### Recommended areas for use

**Removing flux residues, dust and grease from reflow ovens, wave soldering machines and other contaminated surfaces.**

### Instructions for use

Turn the manual sprayer nozzle from position STOP to 90° before the first use. Then apply a necessary amount to the part to be cleaned, wait for several minutes and wipe residues using a smooth piece of cloth. Repeat the procedure if necessary.



### Product information

- A special sprayer creates „active foam”, which remains active on vertical parts of devices for a longer time
- Leave no residue
- May be applied to hot surfaces
- Environment-friendly, biodegradable
- Lower compatibility with aluminium-based alloys



### Table of physical and chemical properties

Product appearance:	one phase clear liquid
Odour:	citrus
pH value:	11 – 12
VOC content:	23,4 %
Flash point:	non-flammable
Density at 25 °C:	1,02 kg/l

### Technical support

For process implementation and setting, optimization and solving of process issues, trial test, contact your DCT specialist at [www.dct.cleaning](http://www.dct.cleaning)



Date of issue/revision: Check SDS prior to use.

28. 04. 2021

Check material compatibility in case of contact with sensitive materials susceptible to chemical stress.



# REFLOW CLEANER 88

## General information



### Packing

1 litre bottle; 5, 10 and 25 litre can



### Transport

UN number: No

Transport hazard class: No



### Handling

Wear nitrile gloves while manipulating with cleaning agent.

It is necessary to stir well the can before use.



### Storage

Should be stored in closed containers, in ventilated areas

At temperature 5 – 25 °C



### Shelf life:

The minimum shelf life for this product is 2 years.

Return the used product for proper disposal to the nearest authorized collection location.

## Notification

The fluid may become yellow-to-brown as a result of a temperature change or under the influence of light and air. This is a common phenomenon and not a flaw and in no way changes the properties of the product.

## Product features

RoHS and REACH compliant, biodegradable, does not contain any halogenated compounds.



RoHS  
Compliant



REACH  
SVHC



BIODEGRADABLE



We are certified as part of a worldwide quality management system by **LLOYD'S**

Date of issue/revision: Check SDS prior to use.

28. 04. 2021

Check material compatibility in case of contact with sensitive materials susceptible to chemical stress.